

Water - Essential for Life

Adair County Water District Water Quality Report for year 2009

PO Box 567, 109 Grant Lane Columbia, Kentucky 4278

Meetings: Adair County Water District Office

Meeting Dates and Time: Second Thursday Each Month 5:00 PM

KY0010702

Manager: Phone: Lennon Stone 270-384-2181

CCR Contact:

Phone:

Lennon Stone 270-384-2181

This report is designed to inform the public about the quality of water and services provided on a daily basis. Our commitment is to provide our customers with a safe, clean, and reliable supply of drinking water. We want to assure that we will continue to monitor, improve, and protect the water system and deliver a high quality product. Water is the most indispensable product in every home and we ask everyone to be conservative and help us in our efforts to protect the water source and the water system.

In 2009 the Adair County Water District(A=in table page) purchased water from four different sources. The Columbia Adair Co. Water Comm.(B=in table page) which pumps its water from the Green River. City of Russell Springs(C=in table page), which purchases its water from the regional water plant in Jamestown KY; the City of Jamestown(D=in table page) which pumps its raw water from Lake Cumberland; Campbellsville Municiple water and Sewer(E=in table page) which pumps its water from two sources, the City Lake and the Green River Reservoir. All of our producers are treating surface waters which would have a low contamination susceptability. All of our suppliers meet or excede EPA standards in water treatment technologies and practices. The final source water assessments and summaries of susceptability for all of our suppliers can be obtained at the Lake Cumberland Area Development District offices located in Russell Springs KY. Telephone number 270-866-4200.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects may be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and may pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include: Microbial contaminants, such as viruses and bacteria, (sewage plants, septic systems, livestock operations, or wildlife). Inorganic contaminants, such as salts and metals, (naturally occurring or from stormwater runoff, wastewater discharges, oil and gas production, mining, or farming). Pesticides and herbicides, (stormwater runoff, agriculture or residential uses). Organic chemical contaminants, including synthetic and volatile organic chemicals, (by-products of industrial processes and petroleum production, or from gas stations, stormwater runoff, or septic systems). Radioactive contaminants, (naturally occurring or from oil and gas production or mining activities).

In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water to provide the same protection for public health.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Some or all of these definitions may be found in this report:

Maximum Contaminant Level (MCL) - the highest level of a contaminant that is allowed in drinking water. MCLs If present, elevated levels of lead can are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

for pregnant women and young children. Lead in drinking water is primarily from

Maximum Residual Disinfectant Level (MRDL) - the highest level of a disinfectant allowed in drinking water. materials and components associated with There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - the level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to for providing high quality drinking water, control microbial contaminants.

Below Detection Levels (BDL) - laboratory analysis indicates that the contaminant is not present.

Not Applicable (N/A) - does not apply.

Parts per million (ppm) - or milligrams per liter, (mg/l). One part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) - or micrograms per liter, (μ g/L). One part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Parts per trillion (ppt) - one part per trillion corresponds to one minute in 2,000,000 years, or a single penny in \$10,000,000,000.

Parts per quadrillion (ppq) - one part per quadrillion corresponds to one minute in 2,000,000,000 years or one penny in \$10,000,000,000,000.

Picocuries per liter (pCi/L) - a measure of the radioactivity in water.

Millirems per year (mrem/yr) - measure of radiation absorbed by the body.

Million Fibers per Liter (MFL) - a measure of the presence of asbestos fibers that are longer than 10 micrometers.

Nephelometric Turbidity Unit (NTU) - a measure of the clarity of water. Turbidity has no health effects. However, turbidity can provide a medium for microbial growth. Turbidity is monitored because it is a good indicator of the effectiveness of the filtration system.

Variances & Exemptions (V&E) - State or EPA permission not to meet an MCL or a treatment technique under certain conditions.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system shall follow.

Treatment Technique (TT) - a required process intended to reduce the level of a contaminant in drinking water.

Information About Lead:

cause serious health problems, especially Lead in drinking water is primarily from service lines and home plumbing. Your but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

The data presented in this report are from the most recent testing done in accordance with administrative regulations in 401 KAR Chapter 8. As authorized and approved by EPA, the State has reduced monitoring requirements for certain contaminants to less often than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data in this table, though representative, may be more than one year old. Unless otherwise noted, the report level is the highest level detected.

otherwise noted, the report le	evel is the hi	ghest level de	tected	1/52/							
A=Adair County V	Vater Dis	trict KY00	1070)2			B=Colur	nbia/Adair	Water Co	ommission KY 0011016	
C= Russell Springs k	(Y 10403	77				D:	=City of Ja	mestown ł	<y10402< td=""><td>10</td></y10402<>	10	
E=Campbellsville Wa			1090	060							
CCR distributed annu											
	T	owable	- e	Highest S	ingle		Lowest	Violation			
			Source		0		TO SANSA NOVA	una managana.			
Levels		evels	So	Measurement		Monthly %			Likely Source of Turbidity		
Turbidity (NTU) TT	No more th	an 1 NTU*	B=	0	.21		100	NO			
* Representative samples	Less than 0	0.3 NTU in	C=	0	.34		99	NO		Soil runoff	
of filtered water	95% month	nly samples	D=	0	.34		99	NO			
	***		E=	0	.28		100	NO			
Regulated Contamina	nt Test R	tesults									
Contaminant			es	Report		Ra	nge	Date of	Violation	Likely Source of	
foodsl (mits)	MCL	MCLG	Source	Level		£ Dot	ection	Sample		Contamination	
[code] (units)		MCLG	S	Level	0	n Det	ection	Sample	1	Containmation	
Microbiological Cont			La	1 1	0.10	20	1	Manakha	NO	5000 CHE	
Total Coliform Bacteria	1	0	C=	1	0.18	to	1	Monthly	NO	Naturally present in the	
# or % positive samples			D=	111	0.18	to	1	Monthly	INO	environment	
Radioactive Contamin	T						70.2		T 370	Te :	
Alpha emitters	15	0	B=	0.2	0	to	0.5	Aug-09	NO	Erosion of natural deposits	
[4000] (pCi/L)	15	0	E=	0.4	0.2	to	0.7	May-09	NO		
Combined radium	5	0	B=	0.28	0	to	0.5	Aug. 2009	NO	Erosion of natural deposits	
(pCi/L)			E=	0.1	0	to	0.2	Nov-09	NO		
Uranium	30	0	E=	0.63	0.1	to	0.9	Feb-09	NO	Erosion of natural deposits	
(μg/L)											
Inorganic Contamina	nts										
Barium										Drilling wastes; metal refineries;	
[1010] (ppm)	2	2	B=	0.02	0.021	to	0.021	Apr-09	NO	erosion of natural deposits	
Copper [1022] (ppm)	AL=		+	14.000					1	Corrosion of household plumbing	
sites exceeding action level	1.3	1.3	A=	(90th	1	to	101	Aug. 2008	NO	systems	
0	Kint.	1.00	11-	percentile)		1.0	101	7105. 2000	1,0		
Fluoride			B=	1.06	0.84	to	1.23	Aug-09	NO	Water additive which promotes	
	- 4	4	C=	0.52	0.5	to	0.52	bi-annual	NO	strong teeth	
[1025] (ppm)	4	4		0.52	0.5	N. Jerse	0.52	bi-annual	NO		
			D=		0.83	to			NO		
1 15100001 13			E=	0.94	0.83	to	1.1	Feb-09	NO	Corrosion of household plumbing	
Lead [1030] (ppb)	AL =	- 0		14		400	101	Aug 2000	NO	systems	
sites exceeding action level	15	0	A=	(90th	1	to	101	Aug. 2008	140		
0				percentile)			an era e		NO	Runoff from fertilizer use;	
Nitrate	(2700)	67786	B=	0.33	0	to	0.742	May-09	NO	leaching from septic tanks,	
[1040] (ppm)	10	10	C=	0.24		N/A		Nov-09	NO	sewage; erosion of natural deposits	
			D=	0.24		N/A	-	Nov-09	NO	- sevage, crosson or natural deposi-	
			E=	0.88	0.88	to	0.88	May-09	NO		
Thallium			C=	1.3		N/A	N.	Feb-09	NO	Leaching from ore-processing	
[1085] (ppb)	2	0.5	D=	1.3		N/A	N.	Feb-09	NO	sites; discharge from electronics,	
										glass, and drug factories	
Synthetic Organic Co	ntaminan	ts includi	ng Pe	esticides ar	nd Her	bicio	les				
Atrazine			E=	0.29	0.288	to	0.288	Jul-09	NO	Runoff from herbicide used on row	
[2050] (ppb)	3	3								crops	
Volatile Organic Con	taminants	S									
Ethylbenzene			C=	1		N/A		Oct-09	NO	Discharge from petroleum	
[2992] (ppb)	700	700	D=	1		N/A	Č.	Oct-09	NO	refineries	
Xylenes			C=	0.005		N/A		Oct-09	NO	Discharge from petroleum	
[2955] (ppm)	10	10	D=	0.005		N/A		Oct-09	NO	factories; discharge from chemical	

Disinfectants/Disinfec	tion Bypi	oducts an	d Pre	ecursors						
Total Organic Carbon (ppm)		N/A	B=	1.20	1	to	1.62	N/A	NO	Naturally present in environment
(report level=lowest avg.	TT*		C=	0.86	0.18	to	1	N/A	NÖ	
range of monthly ratios)			D=	0.86	0.18	to	1	N/A	NO	
			E=	1.34	0.89	to	2.06	N/A	NO	
*Monthly ratio is the % TOC	removal ac	hieved to the	% TO	C removal re	quired. A	nnual a	verage of the	monthly ratios	s must be 1	.00 or greater for compliance.
Chlorine (ppm)	MRDL = 4	MRDLG = 4	A=	1.36 (highest	0.65	to	2.15	N/A	NO	Water additive used to control microbes.
****	60	N/A	l p	average)	22	250	126	N//A	VEC	Byproduct of drinking water disinfection
HAA (ppb) (all sites) [Haloacetic acids]			B=	69	32	to	126	N/A	YES	
			C=	36	19	to	52	N/A	NO	
			D=	36	19	to	52	N/A	NO	
			E=	28	0	to	66	N/A	NO	
HAA (ppb) (IDSE) IDSE (individual distribution system					A		IDSE	IDSE	Byproduct of drinking water	
[Haloacetic acids]	evaluation) is a study to determine future				18.5	to	40	initiated	NO	disinfection
	individual		(range of individual sites)			Feb-09				
TTHM (ppb) (IDSE)	(ppb) (IDSE) IDSE (individual distribution system					A			IDSE	Byproduct of drinking water
[total trihalomethanes]	evaluation) is a study to determine future individual sites.				9	to	26	initiated	NO	disinfection
					(range of individual sites)		Feb-09			
TTHM (ppb) (all sites)	80	N/A	C=	48	24	to	73	quarterly	NO	Byproduct of drinking water
[total trihalomethanes]			D=	48	24	to	73	quarterly	NO	disinfection
			E=	54	8	to	178	quarterly	NO	(75)

EPA has not established drinking water standards for unregulated contaminants. There are no MCL's and therefore no violations if found. Our water system violated one or more drinking water standards over the past year. Even though these were not emergencies, as our customers, you have a right to know what happened and what we did to correct these situations.

We are required to monitor your drinking water for specific contaminants on a regular basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. During May 2009 compliance period we did not complete all monitoring or testing for Coliform and therefore cannot be sure of the quality of our drinking water during that time.

There is nothing you need to do at this time. You do not need to use an alternative (e.g., bottled) water supply. The table below lists the contaminant(s) we did not properly test for during the last year, how often we are supposed to sample for [this contaminant/these contaminants] and how many samples we are supposed to take, how many samples we took, when samples should have been taken, and the date on which follow-up samples were (or will be) taken.

contaminant	required sampling frequency	number of samples taken	samples should have been	when samples were or will be taken
Coliform	20 per month	19	May-09	Jul-09

What happened? Who is at risk? What is being done?

We have pulled the missing sample and taken steps to insure the proper amount of samples have and will be taken in the future.

Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this notice in a public place or distributing copies by hand or mail.